



**SARDAR VALLABHBHAI PATEL NATIONAL POLICE ACADEMY  
(Government of India : Ministry of Home Affairs)  
Hyderabad – 500 052**

**TENDER NO : 4043/HK-2/2018-19/HS-Furn.**

**TENDER FOR SUPPLY & INSTALLATION OF KITCHEN ITEMS  
ALONGWITH TRAINING FOR HANDLING THE EQUIPMENT FOR THE  
UPCOMING 100 ROOMS IPS MESS OF SARDAR VALLABHBHAI  
PATEL, NATIONAL POLICE ACADEMY, HYDERABAD**

Date of Tender Enquiry : 26 February 2019

Closing date & time of submitting bids : 19 March 2019 at 1700h



Website: <http://www.eprocure.gov.in>

सरदार वल्लभभाई पटेल राष्ट्रीय पुलिस अकादमी  
SARDAR VALLABHBHAI PATEL NATIONAL POLICE ACADEMY  
(भारत सरकार : गृह मंत्रालय)  
(Government of India : Ministry of Home Affairs)  
हैदराबाद - 500 052 Hyderabad - 500 052

**NOTICE INVITING TENDER**  
**(e-Tender)**

1. SVP National Police Academy, Shivrampally, Hyderabad, invites **e-bids** under Two- bid system (Technical Bid & Financial Bid) in **open tender** enquiry from National level reputed manufacturers or their authorized dealers, fulfilling the following minimum eligibility criteria and as per the terms & conditions for supply and installation of Kitchen items alongwith training for handling the equipments for the upcoming 100 rooms New Officers' Mess of SVP National Police Academy, Hyderabad.

2. Salient features of the tender enquiry are as follows:-

a)	Tender No.	4043/HK2//2018-19/HS-Furn
b)	Description of items	Supply and installation of Kitchen items alongwith training for handling the equipment for the upcoming 100 rooms New Officers' Mess of SVP National Police Academy, Hyderabad. Technical specification mentioned as per <b>Appendix 'A'</b> .
c)	Type of Tender	Open Tender
d)	Bid System	Two Bid System (two cover Technical Bid & Commercial Bid)
e)	Earnest Money Deposit.	Demand draft of Rs 47,000/- drawn in favour of 'The Director, S.V.P. National Police Academy, Hyderabad'.
f)	Delivery schedule / completion period	Delivery and installation should be completed within 45 days from the date of receipt of purchase order from the Academy.
g)	Terms of Delivery	Free on Rail / Road (F.O.R.) Destination, SVP, NPA, Hyderabad.
h)	Bid validity	Bid should be valid for <b>180 days</b> from the date of opening of bid.
i)	Address of correspondence	The Administrative Officer (Admn) SVP National Police Academy, Shivarampally, Hyderabad, Andhra Pradesh - 500 052

3. Important dates related to this **e-Tender** are furnished below for information

Srl No	Particular	Date	Time
a)	Date of online publication of tender	26/02/2019	1500 hrs
b)	Starting date for downloading tender documents	26/02/2019	1800 hrs
c)	Bid submission starting date	26/02/2019	1000 hrs
d)	Bid submission closing date	19/03/2019	1700 hrs
e)	Closing date & time for submission of original copies of EMD	19/03/2019	1700 hrs
f)	Opening of bid	20/03/2019	1700 hrs

4. Interested manufacturers/ authorized dealers/stockiest/suppliers dealing with above services/works can download the tender document from CPP Portal ([www.eprocure.gov.in](http://www.eprocure.gov.in)) and bid can only be submitted through the same website. Bid submitted other than on CPP Portal will not be accepted. The eligible bidders should have the digital signature certificate (DSC) issued from any agency authorized by controller of certifying authority (CCA), Govt. Of India.

5. **SCOPE OF WORK:** The Contractor shall carry out and complete the said work in every respect in accordance with this Contract and with the directions of and to the satisfaction of the Board of Officers of the Academy. In regard to:-

- a) The variation or modification of the design quality or quantity of works or the addition or omission or substitution of any work.
- b) Any discrepancy in the drawings or between the schedule of quantities and / or drawings and / or specification.
- c) The removal from the site of any defective material brought thereon by the contractor and the substitution of any other material thereof.
- d) The demolition removal and / or re-execution of any work executed by the contractor/s.
- e) The opening up for inspection of any work covered up.
- f) The rectification and making good of any defects under clauses hereinafter mentioned and those arising during the maintenance period (Defect Liability Period).

6. Intending tenderer shall visit the site and make himself thoroughly acquainted with the local site condition, nature and requirements of the works, facilities of transport conditions, effective labour and materials, access and storage for materials and removal of rubbish. The tenderer shall include the cost of these items in the quoted rates like carriage, freight and other charges as also for any special difficulties etc., for proper execution of work as indicated in the drawings. The successful tenderer

will not be entitled to any claim of compensation for difficulties faced or losses incurred on account of any site condition which existed before the commencement of the work or which in the opinion of the employer or his agent / Architect might be deemed to have reasonably been inferred to be so existing before commencement of work.

7. **Terms and Conditions.** In this NIT, Contract Operating Officer means The Director, Sardar Vallabhbhai Patel National Police Academy or any other officer authorised by him on his behalf :-

a) The bids are invited online under two cover system (Technical bid – Cover-1) and price bid/bid of quantity (BOQ) (Cover-2) from eligible bidders.

b) Tender shall be submitted online only at CPPP website. Bidders are advised to refer the Bidders manual kit for e-submission of the bids online through the Central Public procurement portal available at the website: <http://www.eprocure.gov.in>. Aspiring Bidders/ Suppliers who have not enrolled/ registered in e-procurement should enrol/register before participating through the website <http://www.eprocure.gov.in>. The portal enrolment is free of cost.

c) **Order will be placed to overall L1 bidder of total order value only.**

d) Conditional tenders/bid will not be accepted. Bidder should clearly indicate additional charges involved in operation of contract, if any. Offers with stipulation like "if applicable" will be treated as vague and shall be ignored.

e) The department may ask for production of original document submitted by the bidder for verification to confirm the correctness. If the document submitted by bidder at any stage found to be fake/not legitimate, penal action will be initiated as per the terms of contract including forfeiture of EMD/Performance Security.

f) **Clarification of Tender Document, Site Visit, Pre-tender meeting** -Pre-tender meeting and site meeting, if any, would normally take place at least 2 days prior to the deadline for tenders submission.

g) The offer of the Bidder will be rejected if either the presentation found to be not complying with the technical specifications and the requirement of the Department.

h) Purchaser reserves the right to get the manufacturing capacity

of all the companies verified irrespective of their registration status (if applicable).

8. Bidders can access and download the tender documents from CPP Portal and can fill them with all relevant information and submit the completed tender documents online on the website: <http://www.eprocure.gov.in>. The downloading of tender documents shall be carried out strictly as provided on the website. No editing, addition, deletion of matter shall be permitted. If such action is observed at any stage, such tenders are liable for outright rejection.

9. All the documents as per tender requirement should be uploaded online and further, no documents will be accepted offline unless called for specifically. However, Demand Draft (EMD- Earnest money deposit) hard copy should be sent to SVP National Police Academy before the due date of opening. Bidders who are not submitting any of the required documents online will summarily be rejected.

10. The details of the Tender documents and EMD should be filled and uploaded online. Earnest Money Deposit (EMD) for **Rs.47,000/- (Rupees forty seven thousand)** only should be deposited in form of Demand draft drawn on any nationalized bank in favour of 'The Director, S.V.P. National Police Academy, payable at SBI, Shivarampally, Hyderabad. **Bids without EMD will not be considered.** Tender Reference Number of details should be mentioned on the backside of the original Demand Draft and the same should be sent to SVP National Police Academy, Hyderabad before due date of opening of the tender

11. The TIA (Tender Inviting Authority) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders at the eleventh hour. For any queries regarding e-tendering process, the bidders are requested to contact over phone to SVP NPA in any working days between 0900hrs to 1800 hrs.

12. Following scanned documents in PDF/Excel/.rar file format must be uploaded in respective covers duly signed and stamped.

**Documents to Accompany First Cover (In PDF)**

(a) No bid will be considered unless and until all the pages / documents comprising the bid are properly numbered, signed and stamped by the person/s authorized to do so.

(b) The firm must upload attested and scanned copy of following documents :-

- (i) **Firm's Registration documents.**
- (ii) **GSTIN of the Firm alongwith latest submitted**

**return documents.**

(iii) **PAN Card of the firm.**

(iv) **Income Tax Return – Last three year.**

(v) Desirable Turnover-Rs. 1 Cr cumulative in the last (2) financial year.

(vi) Copies of earlier supply orders.

(vii) Filled in Commercial Information of firm in .xls format (Available in website alongwith NIT) to include Banker's and firms details.

(viii) LOB (Letter of bid) with the tender.

(ix) Duly signed and stamp of Tender Document.

(x) The Technical Bid containing the specifications viz. Make, Brand, model and other information leaflets of the proposed brand which the bidder intends to deliver and the delivery schedule by the bidder, **shall be enclosed with the technical bid.**

(xi) Scanned copy of EMD for Rs.47,000/- (Rupees Forty seven thousand only) in the form of Demand draft drawn on any nationalized bank in favour of 'The Director, S.V.P. National Police Academy, payable at SBI, Shivrampally, Hyderabad be submitted in portal followed by original copy before closing of tender date at the address of The Administrative Officer (Admn), SVP National Police Academy, Shivrampally, Hyderabad. **Offers received without the prescribed EMD, will be rejected summarily.**

**Second Cover :-**

c) **The Financial bid (In excel file like BoQ)** :- The rates i.e. unit rate of item quoted, the Price Bid/BOQ template may not be modified or replaced by the bidder; else the bid submitted is liable to be rejected for this tender. No increase in accepted/approved rate will be considered through the currency of contract (including extendable period).

d) The Financial Bid shall comprise the price component indicating the rate offered the entire work/supply price including all taxes/levy/duties. The rate thereof shall not be overwritten.

e) The quoted price **shall be exclusive of all the Taxes/duties** and taxes & duties should be shown separately as applicable. No excess amount beyond the quoted amount will be considered.

f) Quoted prices **should be inclusive of freight** and forwarding charges, handling charges, loading and unloading charges, insurance charges, etc.

g) Prices shall be quoted in Indian rupees only.

13. The Bid / Tender submitted shall necessarily remain valid for 180 days after the date of financial bid opening and the accepted rate of item shall remain fixed for the currency of contract (including extendable period). If any bidder withdraws his tender before the said period, SVP NPA shall-without prejudice to any other right or remedy, be at liberty to forfeit the Bid/EMD/Performance Security submitted by them.

14. No interest will be paid on Earnest Money Deposit. EMD of unsuccessful tenderers will be returned in due course of time. If the bid is accepted and the contracted firm fails to undertake the supply contract, their EMD will be forfeited without any further notice.

15. The tenderer should offer the lowest rate of works/items which should not exceed MRP inclusive of all taxes printed on the item at any stage of contract.

16. The Tender processing Committee of the Academy may visit the site wherever the equipment is installed or the manufacture to verify the quality. The Tender Processing Committee may also require the bidders to give a **presentation during technical evaluation bid stage** at NPA **about overall set up of the project.**

17. **Delivery should be completed within 45 days from the date of receipt of purchase order from the Academy. The training for handling the equipment for NPA staff will also be provided immediately on supply and installation of the kitchen equipments.**The bidding firm would adhere strictly to the delivery period indicated in this tender document or supply order failing which they would be penalised with a penalty of 0.5% of the supply contract value per day subject to a maximum of 5% (five percent) from the payment. Further in case of inordinate delay of 30 days from the stipulated time, purchase order stands cancelled without any further notice and you will also be liable to be blacklisted and as well as performance guaranty will be forfeited.

18. The SVP NPA reserves the right to increase or decrease the quantity of supply / items.

19. The Academy has the right to entrust the supply of items to one or more firms/agency/wholesalers, in case of equal rate offered.

20. Liability of the supply order getting cancelled, if the quality of items/progress of the works/services is found to be not satisfactory or if there is an inordinate delay of more than 30 days in completing the supply/work, than the prescribed delivery period.

21. Notwithstanding any of the conditions and clauses indicated in the

Tender form, the Director has whole sole right to accept or reject either the lowest or any other valid bid and or **split up the order** for supplying of above items to more than one bidder or to cancel the Tender without assigning any reasons thereto.

22. The quantities contracted and amended from time to time shall be strictly adhered to.

23. The makes/brands of the items offered and accepted by the Academy shall not be subjected to change, until and unless agreed to by the Competent Authority of the Academy.

24. The supplies are liable for test/quality check if the competent authority required.

**25. Penal Action for Non-Compliance of Terms and Condition of the Contract:-**

a) EMD of a tenderer is liable to be forfeited if he withdraws his bid (any time after deposition of tender or before accepting the contract.

b) EMD of a tenderer may also be forfeited if the tenderer derogates any terms/conditions of the tenders, raises conditions with malafide intention to delay/scuttle tender procedure or quotes fictitious/unrealistic rates/percentages.

c) If a contractor wilfully neglects or fails to perform or observe any condition of the contract or attempts to cheat or indulge in fair practices with the motive of making undue gain, the Director may impose a ban on future contracts by the SVP National Police Academy with that contractor.

d) In case a contractor fails to comply with any demand or indent placed by the Academy or to perform his part of the contract to the entire satisfaction of the department or fails to abide by the terms of the contract or breach of contract, the contractor shall be liable to all following actions or any of the following actions, as may decided by the Director to this Academy:-

- (i) Forfeiture of Performance Security in whole or in part.
- (ii) To make good the loss caused to the Government.
- (iii) Cancellation of the contract without any prior notice to the contractor.
- (iv) Debarment from entering into contract with the Academy for period specified by the competent authority.

e) In event of contractors performance security deposit being reduced by means of forfeiture, the contractor within 15 days from



the date of intimation of the reduction shall restore the performance security to the original value, failing which, the Contract Operating Officer will recover the amount involved from any amount due to the contractor by the government or from any other assets of the contractor held with the Academy.

f) All losses sustained by the government due to failure, omission or neglect of the contractor may be realised from the performance security or any other amount, which may be due to be paid to contractor from the Academy.

g) In case of rejection of any item by the Academy or in case of neglect, failure or delay on the part of the contractor to comply with any demand or indent placed by the Academy, the Academy may without prejudice to any other action which the department may take under the terms of the contract, will be at liberty to procure or purchase such items from any other source. Any expenditure (which may include transportation and their incidental charges) incurred in excess of the contracted rate shall be borne by the contractor or recovered from his security deposit and/or from any amount which may be due to be paid to the contractor by the Academy.

26. **Performance Security Clause** :- The successful bidder on receipt of supply order should submit a Bank Guarantee (5% of the order value) issued by any Nationalized Bank in favour of the Director, SVP National Police Academy, Hyderabad payable at SBI Shivrampally, Hyderabad within 15 days of the placement of supply order for due performance as per the provisions contained in GFR-171. Failure on the part of the firm to deposit the performance security within stipulated time the purchaser reserves the right to cancel the supply order and forfeit EMD. Performance security submitted by the bidder will remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier. No interest will be payable for "Performance Security".

27. **Arbitration Proceedings**. Any dispute arising out of the contract at any time between the parties hereto touching or arising out of this contract shall be referred to an arbitrator to be nominated by the Director, SVP National Police Academy and the decision and award of such arbitrator shall be final and binding upon the parties hereto and the provision of the Indian Arbitration Act 1996 shall apply to the Arbitration proceedings.

28. **High Court for Settlement of Dispute**. If the dispute between the parties not settled by the Arbitrator, it should be subject to the jurisdiction of the High Court of Judicature at Hyderabad.

29. **Death of Contractor (Sole Proprietor).** In case of death of a contractor or sole proprietor of a firm, his/her legal heir (s) may be permitted to operate the contract already approved in favour of the deceased and are operational or operating the current contract approved in favour of the deceased :-

- (a) Death Certificate of the deceased contractor.
- (b) Willingness certificate on an affidavit that the legal heir (s) and accredited agent (s) is/are willing to continue the operation of existing contract (s) at the existing terms and condition of the contract.
- (c) Legal Heir Certificate/Succession Certificate from the Court of Law.

30. **Payment of Bills.**

- a. The contractor should submit bill to the indenter immediately after supply , instillation and training as stipulated in para 17.
- (b) Bills submitted by the contractor will have GSTIN printed on it. Any bill received without GSTIN printed on it will be liable to be rejected.
- (c) Payment of bill will be generally cleared within 45 days of receipt of bill/s. All payment would be made through e-payment. Hence, organization details in specified format must be submitted alongwith the bills.

31. **Opening and Evaluation of Technical Bids:**

- (a) The Tender Committee appointed by the Competent Authority of Academy will open all Technical Bids in the first instance on the appointed date and time at SVP NPA Hyderabad.
- (b) During evaluation of the bids, the purchase committee may, at its discretion, ask the Bidder for clarifications of its bid. The clarification of the bidder shall be in writing.
- (c) No bidder shall contact the committee member on any matter relating to its bid from the time of the bid opening to the time the purchase order is placed. If the Bidder wishes to bring additional information to the notice of the Purchaser it should be done in writing.
- (d) Any effort by a bidder to influence the Purchaser in its decisions on bid evaluation, bid comparison or purchase order decision will result in rejection of the bid.
- (e) The results of the evaluation of the Technical Bids along with the date of opening of the Financial Bids will be uploaded in the portal. The purchase committee may at its option to choose to open

the financial bids immediately after the opening and evaluation of the Technical Bids.

32. **Opening and evaluation of Financial Bids:-**

(a) The Tender Processing Committee will open the financial bids in favour of bidder who successfully qualified technical bid.

(b) Arithmetical errors will be rectified on the following basis:- If there is a discrepancy between words and figures, the lower of the two shall be taken as the bid rate. If the bidder does not accept the correction of errors, as aforesaid, its bid will be rejected, and its EMD will stand forfeited.

33. **Eligibility Conditions:-**

(a) The bidding firm should have the capability to supply the ordered item in time as and when supply order placed and supply/works should be completed after 45 days from the date of receipt of purchase order.

(b) Any Government organization/undertaking should not have blacklisted debarred/suspended the bidding firm last three years. A letter of undertaking on the letter head of the bidder should be submitted separately stating that they have not been black listed by the state/central/PSU government.

(c) The Vendor should preferably be an entity registered in India.

34. **Taxes and Duties.** Vendor shall be entirely responsible for all taxes, duties, license, fees etc. incurred until delivery of the contracted items to the Academy. If there is any increase in taxes duties (shown in separately in financial bid) during the contract period due to Govt Policy will be borne by the buyer.

Signature valid

Digitally signed by JAYANTHI RANGACHARI  
Date: 2019.02.25 10:11:13 IST  
Reason: Approved

Administrative Officer (Admin)  
SVP National Police Academy

## Appendix 'A'

KITCHEN ITEMS

S/ No	Equipment Description	Specification	Qty
(a)	Stainless Steel Work Table with the under shelf	<ol style="list-style-type: none"> <li>1. Overall Dimensions – 1800 X 900 X 850mm.</li> <li>2. SS frame work.</li> <li>3. Table top 16 SWG S.S sheet and mounted on ms angle frame of 32X32X3mm.</li> <li>4. Wielded with 1.5” 26 SWG ss round pipes with nylon bullet feet.</li> <li>5. Under shelf with 18 SWG S.S sheet with 16 SWG sheet stiffener, 6 inch, above ground level</li> </ol>	04 Nos
(b)	Chapathi Hot Plate and Puffer	<ul style="list-style-type: none"> <li>• Over all dimensions of 900X900X850mm Height.</li> <li>• Top to have one full size dosa plate made of 16 mm MS Sheet. The unit to be provided with a collection drain channel of 3” wide towards the front.</li> <li>• The dosa plate to be heated by two numbers RV Burners, fitted along the length of the unit, equally distributed under the plate.</li> <li>• The burners to have pilot lamps, internal gas piping, separate controls, and pig tails to connect to main gas line.</li> <li>• The entire assembly to be mounted on a heavy duty frame of 35X35X3mm thick MS, given two coats of red oxide and finished in stone hammers grey paint.</li> </ul> <p>The unit to have a splash back of 7” on two sides and rear and a skirting with 20 swg ss sheet all around up to 12” from top. Legs of the unit to ne 1.5” diameter, 16 SWG. Ss pipes fitted with adjustable nylon bullet feet; with cross bracings of 1” diameter 16Swg. Ss pipes fitted 6” above the floor level</p>	01 No
(c)	Dosa Hot Plate	<ul style="list-style-type: none"> <li>• Over all dimensions of 900X900X850mm Height.</li> <li>• Top to have one full size dosa plate made of 16 mm MS Sheet. The unit to be provided with a collection drain channel of 3” wide towards the front.</li> <li>• The dosa plate to be heated by two numbers RV Burners, fitted along the length of the unit, equally distributed under the plate.</li> <li>• The burners to have pilot lamps, internal gas piping, separate controls, and pig tails to connect to main gas line.</li> <li>• The entire assembly to be mounted on a heavy duty frame of 35X35X3mm thick MS, given two coats of red oxide and finished in stone hammers grey paint.</li> </ul>	01 No

		<ul style="list-style-type: none"> <li>The unit to have a splash back of 7" on two sides and rear and a skirting with 20 swg ss sheet all around up to 12" from top.</li> <li>Legs of the unit to be 1.5" diameter, 16 SWG. Ss pipes fitted with adjustable nylon bullet feet; with cross bracings of 1" diameter 16Swg. Ss pipes fitted 6" above the floor level.</li> </ul>	
(d)	Vegetable Storage Rack	<ul style="list-style-type: none"> <li>Overall Dimensions of 1200X600X1800. Shelves to have 20SWG SS perforated sheet.</li> <li>Each rack will have 4 shelves spaced equidistantly from each other and reinforced with 25X100X25mm inverted 16 SWG channel.</li> <li>The bottom shelf should be spaced at 6" above ground level.</li> <li>The up rights are made of 1.5" round pipes with nylon buffets.</li> </ul>	02 Nos
(e)	Single Burner Range	<ul style="list-style-type: none"> <li>Overall dimensions to be 600X600X600mm in height.</li> <li>Top to be fitted total steel 304 grades 16 gauge, 1 united gas burners rated for Indian cooking.</li> <li>Properly placed in a heavy duty MS housing frame.</li> <li>Burner to be complete with accessories including capillary piper, flexible wire branded with pig tail gas inlet flow control valve and a heavy duty cast iron square grid with down side heavy nylon bullet</li> </ul>	05 Nos
(f)	Onion/Potato Bin:	<ul style="list-style-type: none"> <li>Completely constructed of ss sheet of 18 SWG sliding door with SS rod handle.</li> <li>In rectangular form with hinged lid on the top with stopper and a strong latch, this also acts as a handle.</li> <li>The bins will be mounted on four nos. heavy castor wheels of 6".</li> </ul>	02 Nos
(g)	S.S TILTING WET GRINDER	<ul style="list-style-type: none"> <li>The unit should have a stainless steel bowl with a good quality grinding stone.</li> <li>All side paneling should be of 20 SWG stainless steel &amp; should be fixed on a sturdy base.</li> <li>It should have a suitable power of motor from a reputed make like Crompton housed in a heavy cage steel box suitable for operation on 3 phase electric supply.</li> <li>The unit to easy tilting with ss handles and it is mounted on ss stand, having provision of grouting the stand to the floor.</li> <li>The provision of bolting the equipment to the stand also is given.</li> </ul> <p>SIZES: (10 liters)</p>	01 No
(h)	RICE BOILER:	<ul style="list-style-type: none"> <li>Vessel is fabricated with 16SWG SS Sheet,</li> </ul>	01

File No.SVPNPA-HKS0HK2(H016)/153/2018-O/o AO(Admin.)

		<p>cylindrical in circumference and an indented bottom and have a capacity of 150 liters provided with a firmly fitting lid of 20SWG SS Sheet with handle.</p> <ul style="list-style-type: none"> <li>The Vessel shall be mounted on a heavy duty 40 Dia 2 mm thick SS square pipes frame, with tilting arrangement to facilitate tilt and halt.</li> </ul> <p>SIZES: 150 liters.</p>	No
(i)	SS POT RACK	<ul style="list-style-type: none"> <li>Overall Dimensions of 1500X600X850m height.</li> <li>Unit should be made of 16SWG SS Pipes welded frame structure.</li> <li>The uprights should be made of 1.5" X16SWG SS Pipes/legs with adjustable nylon bullet feet.</li> <li>Shelves should be made of 1"X16SWG SS Pipe and internal pipes are 3/4"X16SWG SS Pipe with 4" gape.</li> <li>Each rack will have 3 tiers spaced equidistant from each other, with bottom tier spaced 6" above ground level.</li> </ul>	02 Nos
(j)	ALMAIRAH	<ul style="list-style-type: none"> <li>The bottom us made up of 16SWG SS Sheet and sides, doors shelves is made up of 20 SWG SS Sheet with five Partitions</li> <li>Overall Dimensions of 900X600X1800mm</li> </ul>	01 No
(k)	DOUGH KNEADER	<ul style="list-style-type: none"> <li>To operate on geared motor having cycle gears, SS kneading arm and ss bowl, with break provision, direct coupled drive, 30Kgs capacity per charge, operating on 1.5hp motor, 3Ph.</li> <li>To be provided with starter unit.</li> </ul>	01 No
(l)	SS STORAGE RACK	<ul style="list-style-type: none"> <li>Overall dimensions of 1200X600X1800.</li> <li>Shelves should be made of 20 SWG SS perforated sheet.</li> <li>Each rack will have 4 shelves spaced equidistantly from each other reinforced with 25X100X25mm inverted 16 SWG SS channel.</li> <li>The bottom shelf should be spaced at 6" above ground level.</li> <li>The up rights are made of 1.5" round pipes with nylon bullet feet.</li> </ul>	06 Nos
(m)	SS DUNNAGE RACKS	<ul style="list-style-type: none"> <li>Overall dimensions to be 1200X1200X150</li> <li>Rise of 10 inches from ground level.</li> </ul>	01 No
(n)	POTATO PEELER	<ul style="list-style-type: none"> <li>It will operate on 1Hp motor 1Ph, capacity of 10Kgs per charge.</li> <li>All parts coming in contact with potatoes to be either of stainless steel or food grade poly carbonate.</li> <li>Mechanism will be belt driven.</li> <li>Overall dimensions not to exceed 450 DiaX1000mm heights</li> </ul>	01 No
(o)	ATTA BIN	<ul style="list-style-type: none"> <li>The unit is made up of 16 swg steel and lid is with 20swg ss steel.</li> </ul>	02 Nos

(p)	3 SINK	<ul style="list-style-type: none"> <li>Overall Dimensions of 66"X26"X34"+4" height.</li> <li>Top and sinks made up of 16 SWG SS Sheet.</li> <li>Top to be fabricated as three sinks of 18"X18"X12" dimensions, equally distributed.</li> <li>Each sinks to be fitted with a drain grating of approved quality.</li> <li>Top is mounted with 32X32X3mm ms angle it is welded with 1.5" ss round pipes and bracings are 1" 16swg ss round pipes with nylon bullet feet.</li> </ul> <p>Top have 4" splash back on rear side.</p>	01 No
(q)	MASALA TROLLEY	<ul style="list-style-type: none"> <li>Overall Dimensions if 600X450X850.</li> <li>Top s made of 16SWG SS Sheet. It is mounted on 32X32X3MM M.S. Angle welded with 1 1\4" SS 16 SWG Pipe and bottom welded with tray type u/s and top have 8nos of 5" round containers.</li> <li>The unit is fixed with 4" rubber wheels.</li> </ul>	02 Nos
(r)	Oven	<ul style="list-style-type: none"> <li>The overall dimensions to be 6X12"X20"/6X13"X18" in height.</li> <li>Self Cooking Center-SCC 61, Electric.</li> <li>Press-fit cabinet seal</li> <li>Lengthwise loading for accessories</li> <li>Hinging rack with additional rail for drip collector, rail distance 2 5/8", hinging rack swivel for easy cleaning.</li> <li>Maximum rack height 5 1/4 ft. when original stand used</li> <li>U-shaped rack rails with notched recesses for easy loading</li> <li>All-round heat insulation</li> </ul>	01 No
(s)	Deep Freezer	<ul style="list-style-type: none"> <li>Overall Dimensions of 898X2200X1490mm</li> <li>Mounted on a 4 X 4 rack with 6 inches rise from ground level.</li> </ul>	01 No
(t)	Walk-in	<ul style="list-style-type: none"> <li>Overall Dimensions are 3000X1800X150mm in height.</li> <li>Thickness is 150mm</li> <li>Mounted in a 6X6 rack with 4 inches rise from ground level.</li> </ul>	01 No
(u)	SS Heavy Duty Platform Trolley	Capacity of 150 Kg and material will be stainless steel with powder coated finish. Size is 24 * 36 * 39 inches top will be 16 swg (304 grade steel) with rotatory 4 wheels	01 No
(v)	Electronic weighing scale 100 kg SS PLATTER	<ul style="list-style-type: none"> <li>electronic weighing scale 100 kg SS PLATTER</li> <li>size of the platter is 400 * 400 mm and minimum weighing capacity will be 100 gms.</li> </ul>	01 No
(w)	Electronic weighing scale 10 kgs	<ul style="list-style-type: none"> <li>electronic weighing scale 10 kgs</li> </ul>	01 No
(x)	Decomposter	<ul style="list-style-type: none"> <li>fully automated decomposter</li> <li>25 kgs capacity</li> </ul>	01 No
(y)	SINK WITH DRAIN BOARD	S.S.body - 18 gauge	02 Nos

File No.SVPNPA-HKS0HK2(H016)/153/2018-O/o AO(Admin.)

		1 feet length 1 feet breath 1 ½ feet depth Refined Brushed Finish (RBF) Rear drain placement. 2 feet drainboard	
--	--	---	--